

# **Material Safety Data Sheet**

Revision Date 07/15/2013 Print Date 06/16/2014

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Naphyrone-D5 HCl

**Product Number** N-085 **Brand** Cerilliant

Supplier **Cerilliant Corporation** 

> 811 Paloma Drive, Suite A Round Rock, TX 78655

Telephone 1 800 848 7837 Fax 1 800 654 1458 Emergency Phone # (512) 238-9974

Preparation Information Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

#### 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

#### **OSHA Hazards**

Flammable liquid, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Toxic by skin absorption

#### **Target Organs**

Eyes, Kidney, Liver, Heart, Central nervous system

#### **GHS Classification**

Flammable liquids (Category 2) Acute toxicity, Oral (Category 3) Acute toxicity, Inhalation (Category 3) Acute toxicity, Dermal (Category 3)

Specific target organ toxicity - single exposure (Category 1)

Acute aquatic toxicity (Category 3) Chronic aquatic toxicity (Category 3)

# GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

Toxic if swallowed, in contact with skin or if inhaled H301 + H311 + H331

H370 Causes damage to organs.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P301 + P310

P307 + P311 IF exposed: Call a POISON CENTER or doctor/ physician.

#### **HMIS Classification**

Cerilliant - N-085 Page 1 of 7 Health hazard: 2
Chronic Health Hazard: \*
Flammability: 3
Physical hazards: 0

**NFPA Rating** 

Health hazard: 2 Fire: 3 Reactivity Hazard: 0

#### **Potential Health Effects**

InhalationToxic if inhaled. May cause respiratory tract irritation.SkinToxic if absorbed through skin. May cause skin irritation.

**Eyes** May cause eye irritation. **Ingestion** Toxic if swallowed.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component		Classification	Concentration
Methanol			
CAS-No.	67-56-1	Flam. Liq. 2; Acute Tox. 3;	90 - 100 %
EC-No.	200-659-6	STOT SE 1; H225, H301 +	
Index-No.	603-001-00-X	H311 + H331, H370	
Registration number	01-2119433307-44-XXXX		

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

#### 4. FIRST AID MEASURES

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

# If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 5. FIREFIGHTING MEASURES

#### Conditions of flammability

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### **Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides

### Further information

Use water spray to cool unopened containers.

# 6. ACCIDENTAL RELEASE MEASURES

Cerilliant - N-085 Page 2 of 7

# Personal precautions

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature: -20 - 0 °C

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis		
Methanol	67-56-1	TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)		
Remarks	Headache Eye damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Danger of cutaneous absorption					
		STEL	250 ppm	USA. ACGIH Threshold Limit Values (TLV)		
	Headache Eye damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Danger of cutaneous absorption					
		TWA	200 ppm 260 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000		
	Skin notation					
		STEL	250 ppm 325 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000		
	Skin notation					
		TWA	200 ppm 260 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
	The value in mg/m3 is approximate.					
		TWA	200 ppm 260 mg/m3	USA. NIOSH Recommended Exposure Limits		
	Potential for dermal absorption					
		ST	250 ppm 325 mg/m3	USA. NIOSH Recommended Exposure Limits		
	Potential for dermal absorption					

Cerilliant - N-085 Page 3 of 7

# Personal protective equipment

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Appearance**

liquid Form

Colour no data available

Safety data

рΗ no data available

Meltina no data available

point/freezing point

Boiling point no data available Flash point 9.7 °C (49.5 °F) Ignition temperature no data available Auto-ignition no data available

temperature

Lower explosion limit no data available

Upper explosion limit no data available no data available Vapour pressure

Density no data available Water solubility no data available

Partition coefficient: n-octanol/water

no data available

Relative vapour

no data available

density

Odour no data available Odour Threshold no data available Evapouration rate no data available

### 10. STABILITY AND REACTIVITY

Cerilliant - N-085 Page 4 of 7

# **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

Vapours may form explosive mixture with air.

#### Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

#### Materials to avoid

no data available

### Hazardous decomposition products

Other decomposition products - no data available

Hazardous decomposition products formed under fire conditions. - Carbon oxides

#### 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

Oral LD50 Inhalation LC50 Dermal LD50

Other information on acute toxicity

no data available

#### Skin corrosion/irritation

no data available

### Serious eye damage/eye irritation

Eyes: no data available

### Respiratory or skin sensitisation

no data available

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

no data available

#### **Teratogenicity**

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

# **Aspiration hazard**

no data available

#### Potential health effects

**Inhalation** Toxic if inhaled. May cause respiratory tract irritation.

**Ingestion** Toxic if swallowed.

**Skin** Toxic if absorbed through skin. May cause skin irritation.

**Eyes** May cause eye irritation.

### Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# Synergistic effects

no data available

# **Additional Information**

RTECS: Not available

### 12. ECOLOGICAL INFORMATION

# **Toxicity**

no data available

# Persistence and degradability

no data available

### Bioaccumulative potential

no data available

# Mobility in soil

no data available

#### PBT and vPvB assessment

no data available

#### Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

### 13. DISPOSAL CONSIDERATIONS

# **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

# Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1230 Class: 3 Packing group: II

Proper shipping name: Methanol, solution Reportable Quantity (RQ): 5001 lbs

Maria a radiotarata Na

Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1230 Class: 3 (6.1) Packing group: II EMS-No: F-E, S-D

Proper shipping name: METHANOL, SOLUTION

Marine pollutant: No

IATA

UN number: 1230 Class: 3 (6.1) Packing group: II

Cerilliant - N-085 Page 6 of 7

#### 15. REGULATORY INFORMATION

#### **OSHA Hazards**

Flammable liquid, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Toxic by skin absorption

### **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

 CAS-No.
 Revision Date

 Methanol
 67-56-1
 2007-07-01

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

Methanol	67-56-1	2007-07-01
Pennsylvania Right To Know Components	CAS-No.	Revision Date

CAS-NO

67-56-1

Povision Data

2007-07-01

**New Jersey Right To Know Components** 

 Methanol
 CAS-No.
 Revision Date

 4007-07-01
 67-56-1
 2007-07-01

California Prop. 65 Components

WARNING: This product contains a chemical known to the State of CAS-No. Revision Date California to cause birth defects or other reproductive harm. 67-56-1 2012-03-16

Methanol

Methanol

### **16. OTHER INFORMATION**

#### Text of H-code(s) and R-phrase(s) mentioned in Section 3

Acute Tox. Acute toxicity
Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.

H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled

H331

H370 Causes damage to organs.

STOT SE Specific target organ toxicity - single exposure

### **Further information**

Copyright 2013 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Cerilliant - N-085 Page 7 of 7