

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	<b>Product identifiers</b> Product name	:	ZIPRASIDONE HCL
	Product Number Brand REACH No.	:	Z-021 Cerilliant This product is a mixture. REACH Registration Number see section 3.
1.2	Relevant identified use	es	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Manufacture of substances
1.3	3 Details of the supplier of the safety data sheet		
	Company	:	Cerilliant Corporation 811 Paloma Drive, Suite A ROUND ROCK TX 78665 UNITED STATES
1.4	Emergency telephone		
	Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Specific target organ toxicity - single exposure (Category 1), Eyes, Central nervous system, H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

Pictogram

# Labelling according Regulation (EC) No 1272/2008

Signal Word

Danger

Cerilliant- Z-021

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 12

Hazard statement(s) H225 H301 + H311 + H331 H370	Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes damage to organs (Eyes, Central nervous system).
Precautionary statement(s) P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
Supplemental Hazard Statements	none

Contains: 2H-Indol-2-one, 5-[2-[4-(1,2-benzisothiazol-3-yl)-1-piperazinyl]ethyl]-6-chloro-1,3-dihydro-, hydrochloride (1:1). May produce an allergic reaction.

# Reduced Labeling (<= 125 ml)

Pictogram



Signal Word

Danger

Hazard statement(s) H370 H301 + H311 + H331	Causes damage to organs. Toxic if swallowed, in contact with skin or if inhaled.
Precautionary statement(s) P301 + P310 P304 + P340 + P311	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
Supplemental Hazard Statements	none

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SECTION 3: Composition/information on ingredients

# 3.2 Mixtures

Component		Classification	Concentration
Methanol			
CAS-No.	67-56-1	Flam. Liq. 2; Acute Tox. 3;	>= 70 - < 90
EC-No.	200-659-6	STOT SE 1; H225, H301,	%
Index-No.	603-001-00-X	H331, H311, H370	
Registration	01-2119433307-44-	Concentration limits:	
number	XXXX	>= 10 %: STOT SE 1,	

Cerilliant- Z-021

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 2 of 12

		H370; 3 - < 10 %: STOT SE 2, H371;	
2H-Indol-2-one, ! 1,3-dihydro-, hyd		niazol-3-yl)-1-piperazinyl]ethy	l]-6-chloro-
CAS-No.	122883-93-6	Skin Sens. 1; STOT RE 2; H317, H373	>= 0.1 - < 1 %
	*		

\*A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: fresh air. Make victim drink ethanol (e.g. 1 drinking glass of a 40% alcoholic beverage). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour).

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

# **Suitable extinguishing media** Foam Carbon dioxide (CO2) Dry powder

Cerilliant- Z-021

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 3 of 12

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides Sulfur oxides Mixture with combustible ingredients. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## 5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

- 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4** Reference to other sections For disposal see section 13.

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Cerilliant- Z-021

Page 4 of 12



Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

# Storage stability

Recommended storage temperature -25 - 0 °C

## Storage class

Storage class (TRGS 510): 3: Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Control parameter s	Value	Basis
Methanol	67-56-1	TWA	200 ppm 260 mg/m3	Europe. Indicative occupational exposure limit values
	Remarks	Indicative Identifies tl skin	he possibility of	significant uptake through the
		TWA	200 ppm 266 mg/m3	UK. EH40 WEL - Workplace Exposure Limits
		are those for		he skin. The assigned substances re concerns that dermal emic toxicity.
		STEL	250 ppm 333 mg/m3	UK. EH40 WEL - Workplace Exposure Limits
		are those for		he skin. The assigned substances re concerns that dermal emic toxicity.

#### 8.2 Exposure controls

#### **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

required

#### **Body Protection**

Flame retardant antistatic protective clothing.

# **Respiratory protection**

required when vapours/aerosols are generated.

Cerilliant- Z-021

Page 5 of 12



Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

# SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

	P-	·/····
a)	Physical state	liquid
b)	Color	No data available
c)	Odor	No data available
d)	Melting point/freezing point	No data available
e)	Initial boiling point and boiling range	No data available
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	22 °C
i)	Autoignition temperature	No data available
j)	Decomposition temperature	No data available
k)	рН	No data available
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	No data available
n)	Partition coefficient: n-octanol/water	No data available
o)	Vapor pressure	No data available
p)	Density	No data available
	Relative density	No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available

Cerilliant- Z-021

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 12

- s) Explosive properties No data available
- t) Oxidizing properties No data available
- 9.2 Other safety information No data available

#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

Vapors may form explosive mixture with air.

**10.2 Chemical stability** The product is chemically stable under standard ambient conditions (room temperature) .

# **10.3** Possibility of hazardous reactions

No data available

- **10.4 Conditions to avoid** Warming.
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Mixture

#### Acute toxicity

Acute toxicity estimate Oral - 125.25 mg/kg (Calculation method) Acute toxicity estimate Inhalation - 4 h - 3.88 mg/l - vapor(Calculation method)

Acute toxicity estimate Dermal - 375.5 mg/kg (Calculation method)

# Skin corrosion/irritation

No data available

Serious eye damage/eye irritation No data available

**Respiratory or skin sensitization** Mixture may produce an allergic reaction.

Germ cell mutagenicity No data available

#### **Carcinogenicity** No data available

**Reproductive toxicity** No data available

#### **Specific target organ toxicity - single exposure** Mixture causes damage to organs. - Eyes, Central nervous system

Cerilliant- Z-021



Specific target organ toxicity - repeated exposure

No data available

**Aspiration hazard** No data available

# **11.2 Additional Information**

# **Endocrine disrupting properties**

# Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

# Components

# Methanol

#### **Acute toxicity**

Acute toxicity estimate Oral - 100.1 mg/kg (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Nausea, Vomiting Acute toxicity estimate Inhalation - 4 h - 3.1 mg/l - vapor (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Irritation symptoms in the respiratory tract. Acute toxicity estimate Dermal - 300.1 mg/kg (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

# Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation Remarks: (ECHA) Drying-out effect resulting in rough and chapped skin.

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation Remarks: (ECHA)

Respiratory or skin sensitization

Sensitisation test: - Guinea pig

Cerilliant- Z-021



Result: negative (OECD Test Guideline 406)

#### Germ cell mutagenicity

Based on available data the classification criteria are not met. Test Type: Ames test Test system: Salmonella typhimurium Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Result: negative Method: OECD Test Guideline 474 Species: Mouse - male and female - Bone marrow Result: negative

#### Carcinogenicity

Did not show carcinogenic effects in animal experiments.

#### **Reproductive toxicity**

Based on available data the classification criteria are not met.

#### Specific target organ toxicity - single exposure

Causes damage to organs. - Eyes, Central nervous system Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Acute oral toxicity - Nausea, Vomiting Acute inhalation toxicity - Irritation symptoms in the respiratory tract.

#### Specific target organ toxicity - repeated exposure No data available

**Aspiration hazard** 

No data available

#### 2H-Indol-2-one, 5-[2-[4-(1,2-benzisothiazol-3-yl)-1-piperazinyl]ethyl]-6-chloro-1,3-dihydro-, hydrochloride (1:1)

#### **Acute toxicity**

Oral: No data available Inhalation: No data available Dermal: No data available

#### Skin corrosion/irritation

No data available

Serious eye damage/eye irritation No data available

**Respiratory or skin sensitization** No data available

**Germ cell mutagenicity** No data available

#### Carcinogenicity

No data available

#### **Reproductive toxicity** No data available

Specific target organ toxicity - single exposure No data available

Cerilliant- Z-021

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 9 of 12

#### Specific target organ toxicity - repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard No data available

# **SECTION 12: Ecological information**

# **12.1 Toxicity**

**Mixture** No data available

- **12.2 Persistence and degradability** No data available
- **12.3 Bioaccumulative potential** No data available

#### **12.4 Mobility in soil**

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **12.6 Endocrine disrupting properties**

# Product:

- Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission
- 12.7 Other adverse effects

No data available

#### Components

#### Methanol

Toxicity to fish	flow-through test LC50 - Lepomis macrochirus (Bluegill) - 15,400.0 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - 18,260 mg/l - 96 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - ca. 22,000.0 mg/l - 96 h (OECD Test Guideline 201)
Toxicity to bacteria	static test IC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)

# 2H-Indol-2-one, 5-[2-[4-(1,2-benzisothiazol-3-yl)-1-piperazinyl]ethyl]-6-chloro-1,3-dihydro-, hydrochloride (1:1)

#### No data available

Cerilliant- Z-021

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 10 of 12

# SECTION 13: Disposal considerations

## **13.1 Waste treatment methods**

## Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. Notice Directive on waste 2008/98/EC.

		•	
SECT	ION 14: Transport informat	lion	
14.1	<b>UN number</b> ADR/RID: 1230	IMDG: 1230	IATA: 1230
14.2	<b>UN proper shipping name</b> ADR/RID: METHANOL, SOLUT IMDG: METHANOL, SOLUT IATA: Methanol, SOLUTIO Passenger Aircraft: Not permit Cargo Aircraft: Not permitted	TION DN tted for transport	
14.3	<b>Transport hazard class(es)</b> ADR/RID: 3 (6.1)	IMDG: 3 (6.1)	IATA: 3 (6.1)
14.4	<b>Packaging group</b> ADR/RID: II	IMDG: II	IATA: II
14.5	Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no
14.6	Special precautions for use No data available	r	

# SECTION 15: Regulatory information

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

# Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture,	: methanol
placing on the market and use of certain	
dangerous substances, mixtures and articles	
(Annex XVII)	

#### National legislation

Seveso III: Directive 2012/18/EU of the European : ACUTE TOXIC Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

: FLAMMABLE LIQUIDS

: Methanol

Cerilliant- Z-021



# Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

# **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

# **SECTION 16: Other information**

## Full text of H-Statements referred to under sections 2 and 3.

H225 H301	Highly flammable liquid and vapor. Toxic if swallowed.
	Toxic if swallowed, in contact with skin or if inhaled.
H331	
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H370	Causes damage to organs (/\$/*_ORGAN_SINGLE/\$/).
H371	May cause damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.

#### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Cerilliant- Z-021



Page 12 of 12