

SAFETY DATA SHEET

Version 6.3 Revision Date 05/07/2021 Print Date 08/12/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name: Secobarbital-D5 solutionProduct Number: S-048Brand: Cerilliant

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

| Company | : | Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES |
|-----------|---|---|
| Telephone | : | +1 314 771-5765 |
| Fax | : | +1 800 325-5052 |

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Specific target organ toxicity - single exposure (Category 1), H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Danger

Pictogram



Signal word Hazard statement(s) H225

Cerilliant - S-048

Highly flammable liquid and vapor.

Page 1 of 13



| H301 + H311 + H331 H370 | Toxic if swallowed, in contact with skin or if inhaled. Causes damage to organs. |
|----------------------------|--|
| Precautionary statement(s) | |
| P210 | Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ ventilating/ lighting/ equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. |
| P264 | Wash skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P301 + P310 | IF SWALLOWED: Immediately call a POISON CENTER/ doctor. |
| P303 + P361 + P353 | IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. |
| P304 + P340 | IF INHALED: Remove victim to fresh air and keep at rest in a |
| FJ04 T FJ40 | position comfortable for breathing. |
| P307 + P311 | IF exposed: Call a POISON CENTER or doctor/ physician. |
| P322 | Specific measures (see supplemental first aid instructions on |
| | this label). |
| P330 | Rinse mouth. |
| P361 | Remove/ Take off immediately all contaminated clothing. |
| P363 | Wash contaminated clothing before reuse. |
| P370 + P378 | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. |
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P403 + P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Component | | Classification | Concentration |
|--|---|--|---------------------|
| Methanol | | | |
| CAS-No. EC-No. Index-No. Registration number | 67-56-1 200-659-6 603-001-00-X 01-2119433307-44- XXXX | Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301, H331, H311, H370 Concentration limits: >= 10 %: STOT SE 1, H370; 3 - < 10 %: STOT SE 2, H371; | >= 90 - <= 100 % |
| Secobarbital-D5 | | | |
| CAS-No. | 145243-97-6 | Acute Tox. 3; Skin Irrit. 2; | >= 0.1 - < 1 |

Cerilliant - S-048

Page 2 of 13



| Eye Irrit. 2A; H301, H315, H319 | % |
|------------------------------------|---|
| | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- **5.2 Special hazards arising from the substance or mixture** Carbon oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

Cerilliant - S-048

Page 3 of 13



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

6.2 **Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up 6.3 Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13).

6.4 **Reference to other sections**

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Advice on protection against fire and explosion

Use explosion-proof equipment. Advice on protection against fire and explosion Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store under inert gas. hygroscopic

Storage stability

Recommended storage temperature -20 °C

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Cerilliant - S-048

Page 4 of 13



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Ingredients w | | | | | | |
|---------------|---------|---------------------------------|------------------|---------------------------------|--|--|
| Component | CAS-No. | Value | Control | Basis | | |
| | | | parameters | | | |
| Methanol | 67-56-1 | TWA | 200 ppm | USA. ACGIH Threshold Limit | | |
| | | | | Values (TLV) | | |
| | Remarks | Danger of cutaneous absorption | | | | |
| | | STEL | 250 ppm | USA. ACGIH Threshold Limit | | |
| | | | | Values (TLV) | | |
| | | Danger o | f cutaneous abso | | | |
| | | TWA | 200 ppm | USA. NIOSH Recommended | | |
| | | | 260 mg/m3 | Exposure Limits | | |
| | | Potential for dermal absorption | | | | |
| | | ST | 250 ppm | USA. NIOSH Recommended | | |
| | | | 325 mg/m3 | Exposure Limits | | |
| | | Potential | for dermal absor | | | |
| | | TWA | 200 ppm | USA. Occupational Exposure | | |
| | | 1.007 | 260 mg/m3 | Limits (OSHA) - Table Z-1 | | |
| | | | 200 mg/m3 | Limits for Air Contaminants | | |
| | | STEL | 250 ppm | USA. OSHA - TABLE Z-1 Limits | | |
| | | SILL | 325 mg/m3 | for Air Contaminants - | | |
| | | | 525 mg/m5 | 1910.1000 | | |
| | | Skin nota | ation | 191011000 | | |
| | | TWA | 200 ppm | USA. OSHA - TABLE Z-1 Limits | | |
| | | | 260 mg/m3 | for Air Contaminants - | | |
| | | | 200 mg/ms | 1910.1000 | | |
| | | Skin nota | ation | 1910.1000 | | |
| | | C | 1,000 ppm | California permissible exposure | | |
| | | | 1,000 ppm | limits for chemical | | |
| | | | | contaminants (Title 8, Article | | |
| | | | | 107) | | |
| | | Skin | | 107) | | |
| | | PEL | 200 ppm | California permissible exposure | | |
| | | FLL | 260 mg/m3 | limits for chemical | | |
| | | | 200 mg/ms | contaminants (Title 8, Article | | |
| | | | | 107) | | |
| | | Skin | | 110/) | | |
| | | STEL | 250 ppm | California permissible exposure | | |
| | | | 325 mg/m3 | limits for chemical | | |
| | | | 525 mg/m3 | contaminants (Title 8, Article | | |
| | | | | 107) | | |
| | | Skin | 1 | | | |
| | | SKIII | | | | |

Ingredients with workplace control parameters

| Biological | occupa | itional | exposure | limits |
|------------|--------|---------|----------|--------|
| | | | | |

| Component | CAS-No. | Parameters | Value | Biological specimen | Basis |
|-----------|---------|--|---------|------------------------|--|
| Methanol | 67-56-1 | Methanol | 15 mg/l | Urine | ACGIH - Biological Exposure Indices (BEI) |
| | Remarks | End of shift (As soon as possible after exposure ceases) | | | |

Cerilliant - S-048

Page 5 of 13



8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 30 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Cerilliant - S-048

Page 6 of 13



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | | • | , , , |
|-----|----|--|---|
| | a) | Appearance | Form: liquid |
| | b) | Odor | No data available |
| | c) | Odor Threshold | No data available |
| | d) | рН | No data available |
| | e) | Melting point/freezing point | No data available |
| | f) | Initial boiling point and boiling range | 64 - 65 °C 147 - 149 °F at 1.013 hPa |
| | g) | Flash point | 9.7 °C (49.5 °F) - closed cup |
| | h) | Evaporation rate | No data available |
| | i) | Flammability (solid, gas) | No data available |
| | j) | Upper/lower flammability or explosive limits | Upper explosion limit: 36 %(V) Lower explosion limit: 6 %(V) |
| | k) | Vapor pressure | No data available |
| | I) | Vapor density | No data available |
| | m) | Relative density | No data available |
| | n) | Water solubility | No data available |
| | o) | Partition coefficient: n-octanol/water | No data available |
| | p) | Autoignition temperature | No data available |
| | q) | Decomposition temperature | No data available |
| | r) | Viscosity | No data available |
| | s) | Explosive properties | No data available |
| | t) | Oxidizing properties | No data available |
| 9.2 | | ner safety informatio | n |

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Cerilliant - S-048

Page 7 of 13



Vapors may form explosive mixture with air.

10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Acids, Oxidizing agents, Alkali metals, Strong oxidizing agents, Strong acids, Acid chlorides, Acid anhydrides, Reducing agents, Strong reducing agents, Phosphorus halides

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity Oral: No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

- ACGIH: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Cerilliant - S-048

Page 8 of 13



Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Methyl alcohol may be fatal or cause blindness if swallowed., Cannot be made nonpoisonous., Effects due to ingestion may include:, Nausea, Headache, Vomiting, Gastrointestinal disturbance, Dizziness, Weakness, Confusion. Stomach - Irregularities - Based on Human Evidence

Components

Methanol

Acute toxicity

Acute toxicity estimate Oral - 100.1 mg/kg (Expert judgment) Symptoms: Nausea, Vomiting Acute toxicity estimate Inhalation - 4 h - 3.1 mg/l (Expert judgment) Symptoms: Irritation symptoms in the respiratory tract. Acute toxicity estimate Dermal - 300.1 mg/kg (Expert judgment)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation Remarks: (ECHA) Drying-out effect resulting in rough and chapped skin.

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation Remarks: (ECHA)

Respiratory or skin sensitization

Sensitisation test: - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Cerilliant - S-048

Page 9 of 13



Ames test Salmonella typhimurium Result: negative In vitro mammalian cell gene mutation test Chinese hamster lung cells Result: negative OECD Test Guideline 474 Mouse - male and female - Bone marrow Result: negative

Carcinogenicity

Did not show carcinogenic effects in animal experiments.

Reproductive toxicity

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

Causes damage to organs. - Eyes, Central nervous system Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Acute oral toxicity - Nausea, Vomiting Acute inhalation toxicity - Irritation symptoms in the respiratory tract.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

Secobarbital-D5

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity No data available

Reproductive toxicity No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Cerilliant - S-048

Page 10 of 13



| SECTION 12: Ecological information | | | | |
|------------------------------------|--|---|--|--|
| 12.1 | Toxicity | | | |
| | Mixture No data available | | | |
| 12.2 | Persistence and degradal No data available | bility | | |
| 12.3 | Bioaccumulative potentia No data available | 1 | | |
| 12.4 | Mobility in soil No data available | | | |
| 12.5 | Results of PBT and vPvB PBT/vPvB assessment not a conducted | assessment vailable as chemical safety assessment not required/not | | |
| 12.6 | Other adverse effects No data available | | | |
| | Components | | | |
| | Methanol | | | |
| | Toxicity to fish | flow-through test LC50 - Lepomis macrochirus (Bluegill) - 15,400.0 mg/l - 96 h (US-EPA) | | |
| | Toxicity to daphnia and other aquatic invertebrates | semi-static test EC50 - Daphnia magna (Water flea) - 18,260 mg/l - 96 h (OECD Test Guideline 202) | | |
| | Toxicity to algae | static test ErC50 - Pseudokirchneriella subcapitata (green algae) - ca. 22,000.0 mg/l - 96 h (OECD Test Guideline 201) | | |
| | Toxicity to bacteria | static test IC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209) | | |

Secobarbital-D5

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Cerilliant - S-048

Page 11 of 13



Dispose of as unused product.

DOT (US)

UN number: 1230 Class: 3 Packing group: II Proper shipping name: MethanolSOLUTION

Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 1230 Class: 3 (6.1) Packing group: II EMS-No: F-E, S-D Proper shipping name: METHANOLSOLUTION

ΙΑΤΑ

UN number: 1230 Class: 3 (6.1) Packing group: II Proper shipping name: MethanolSOLUTION

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| Methanol | CAS-No. 67-56-1 | Revision Date 2007-07-01 |
|--|--------------------|-----------------------------|
| SARA 311/312 Hazards Fire Hazard, Chronic Health Hazard | | |
| Massachusetts Right To Know Components | | |
| Methanol | CAS-No. 67-56-1 | Revision Date 2007-07-01 |
| | | |

No components are subject to the Massachusetts Right to Know Act.

| Pennsylvania Right To Know Components Methanol | CAS-No. | Revision Date |
|---|---------|---------------|
| Methanol | 67-56-1 | 2007-07-01 |
| | 07 50 1 | 2007 07 01 |
| Methanol | CAS-No. | Revision Date |
| | 67-56-1 | 2007-07-01 |
| Cerilliant - S-048 | | |

Page 12 of 13



| New Jersey Right To Know Components | | |
|---|---------|---------------|
| Methanol | CAS-No. | Revision Date |
| | 67-56-1 | 2007-07-01 |
| | | |
| California Prop. 65 Components | | |
| WARNING: This product contains a chemical known in | CAS-No. | Revision Date |
| the State of California to cause birth defects or other | 67-56-1 | 2012-03-16 |
| reproductive harm.Methanol | | |

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.3

Revision Date: 05/07/2021

Print Date: 08/12/2022

Cerilliant - S-048

Page 13 of 13



