

# SAFETY DATA SHEET

Version 6.2 Revision Date 07/02/2019 Print Date 11/20/2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Phenobarbital-D5 (side chain) solution

Product Number : P-004
Brand : Cerilliant
Index-No. : 603-001-00-X

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES

ONTIED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

# 1.4 Emergency telephone number

Emergency Phone #: 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311

Specific target organ toxicity - single exposure (Category 1), H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Cerilliant - P-004 Page 1 of 11



| Hazard statement(s)        |   |
|----------------------------|---|
| H225                       | Highly flammable liquid and vapour.                               |
| H301 + H311 + H331         | Toxic if swallowed, in contact with skin or if inhaled.           |
| H370                       | Causes damage to organs.  |
| 11370                      | Causes uamage to organs.  |
| Precautionary statement(s) |   |
| P210                       | Keep away from heat/sparks/open flames/hot surfaces. No           |
|                            | smoking.  |
| P233                       | Keep container tightly closed.                                    |
| P240                       | Ground/bond container and receiving equipment.                    |
| P241                       | Use explosion-proof electrical/ ventilating/ lighting equipment.  |
| P242                       | Use only non-sparking tools.                                      |
| P243                       | Take precautionary measures against static discharge.             |
| P260                       | Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.             |
| P264                       | Wash skin thoroughly after handling.                              |
| P270                       | Do not eat, drink or smoke when using this product.               |
| P271                       | Use only outdoors or in a well-ventilated area.                   |
| P280                       | Wear protective gloves/ protective clothing/ eye protection/ face |
| 1 200                      | protection.   |
| P301 + P310                | IF SWALLOWED: Immediately call a POISON CENTER/doctor.            |
| P303 + P361 + P353         | IF ON SKIN (or hair): Remove/ Take off immediately all            |
| 1303 1 1301 1 1303         | contaminated clothing. Rinse skin with water/ shower.             |
| P304 + P340                | IF INHALED: Remove victim to fresh air and keep at rest in a      |
| 130111310                  | position comfortable for breathing.                               |
| P307 + P311                | IF exposed: Call a POISON CENTER or doctor/ physician.            |
| P322                       | Specific measures (see supplemental first aid instructions on     |
| . 322                      | this label).  |
| P330                       | Rinse mouth.  |
| P361                       | Remove/Take off immediately all contaminated clothing.            |
| P363                       | Wash contaminated clothing before reuse.                          |
| P370 + P378                | In case of fire: Use dry sand, dry chemical or alcohol-resistant  |
| 13,0 1 13,0                | foam for extinction.  |
| P403 + P233                | Store in a well-ventilated place. Keep container tightly closed.  |
| P403 + P235                | Store in a well-ventilated place. Keep cool.                      |
| P405                       | Store locked up.  |
| P501                       | Dispose of contents/ container to an approved waste disposal      |
| 1 301                      | plant.  |
|                            | piant.  |

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

| Component    |                   | Classification              | Concentration |
|--------------|-------------------|-----------------------------|---------------|
| Methanol     |                   |                             |               |
| CAS-No.      | 67-56-1           | Flam. Liq. 2; Acute Tox. 3; | >= 90 - <=    |
| EC-No.       | 200-659-6         | STOT SE 1; H225, H301,      | 100 %         |
| Index-No.    | 603-001-00-X      | H331, H311, H370            |               |
| Registration | 01-2119433307-44- |                             |               |
| number       | XXXX              |                             |               |

For the full text of the H-Statements mentioned in this Section, see Section 16.



# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

## In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

#### **5.3** Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

# 5.4 Further information

Use water spray to cool unopened containers.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

Cerilliant - P-004 Page 3 of 11

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13).

## 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store under inert gas. hygroscopic

Recommended storage temperature -20 °C Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value   | Control parameters | Basis                                   |
|-----------|---------|---|--------------------|---|
| Methanol  | 67-56-1 | TWA   | 200 ppm            | USA. ACGIH Threshold Limit Values (TLV) |
|           | Remarks | Headache Nausea Dizziness Eye damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Danger of cutaneous absorption |                    |   |
|           |         | STEL  | 250 ppm            | USA. ACGIH Threshold Limit Values (TLV) |
|           |         |   |                    | is a Biological Exposure Index<br>on)   |

Cerilliant - P-004 Page 4 of 11



| Danger of cutaneous absorption |                                 |   |  |
|--------------------------------|---------------------------------|---|--|
| TWA                            | 200 ppm                         | USA. NIOSH Recommended                              |  |
|                                | 260 mg/m3                       | Exposure Limits                                     |  |
| Potential f                    | Potential for dermal absorption |   |  |
| ST                             | 250 ppm                         | USA. NIOSH Recommended                              |  |
|                                | 325 mg/m3                       | Exposure Limits                                     |  |
|                                | <u>or dermal absor</u>          |   |  |
| TWA                            | 200 ppm                         | USA. Occupational Exposure                          |  |
|                                | 260 mg/m3                       | Limits (OSHA) - Table Z-1                           |  |
|                                |                                 | Limits for Air Contaminants                         |  |
| The value                      | in mg/m3 is app                 |   |  |
| С                              | 1,000 ppm                       | California permissible exposure limits for chemical |  |
|                                |                                 | contaminants (Title 8, Article                      |  |
|                                |                                 | 107)  |  |
|                                |                                 | - ,   |  |
| Skin                           |                                 |   |  |
| PEL                            | 200 ppm                         | California permissible exposure                     |  |
|                                | 260 mg/m3                       | limits for chemical                                 |  |
|                                |                                 | contaminants (Title 8, Article                      |  |
|                                |                                 | 107)  |  |
| Skin                           |                                 |   |  |
| STEL                           | 250 ppm                         | California permissible exposure                     |  |
|                                | 325 mg/m3                       | limits for chemical                                 |  |
|                                | 323 mg/m3                       | contaminants (Title 8, Article                      |  |
|                                |                                 | 107)  |  |
|                                |                                 |   |  |
| Skin                           | 1                               | -   |  |

**Biological occupational exposure limits** 

| Component | CAS-No. | Parameters     | Value      | Biological specimen | Basis  |
|-----------|---------|----------------|------------|---------------------|--|
| Methanol  | 67-56-1 | Methanol       | 15 mg/l    | Urine               | ACGIH -<br>Biological<br>Exposure Indices<br>(BEI) |
|           | Remarks | End of shift ( | As soon as | possible after exp  | osure ceases)                                      |

# 8.2 Exposure controls

## **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# **Personal protective equipment**

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Cerilliant - P-004 Page 5 of 11



Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

# 0.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odour
c) Odour Threshold
d) pH
e) Melting
No data available
No data available
No data available

point/freezing point

f) Initial boiling point 64 - 65 °C 147 - 149 °F at 1.013 hPa and boiling range

g) Flash point 9.7 °C (49.5 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

Cerilliant - P-004 Page 6 of 11



j) Upper/lower Upper explosion limit: 36 %(V) flammability or Lower explosion limit: 6 %(V)

explosive limits

k) Vapour pressure No data availablel) Vapour density No data available

m) Relative density 0.791 g/cm3 at 20 °C (68 °F)

n) Water solubility No data availableo) Partition coefficient: No data available

n-octanol/water

p) Auto-ignition No data available temperature

q) Decomposition No data available temperature

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

## 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

## 10.5 Incompatible materials

Acids, Oxidizing agents, Alkali metals, Strong oxidizing agents, Strong acids, Acid chlorides, Acid anhydrides, Reducing agents, Strong reducing agents, Phosphorus halides

## 10.6 Hazardous decomposition products

Other decomposition products - No data available Hazardous decomposition products formed under fire conditions. - Carbon oxides In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

No data available

Inhalation: No data available

Cerilliant - P-004 Page 7 of 11

Dermal: No data available

No data available

#### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

## **Additional Information**

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Methyl alcohol may be fatal or cause blindness if swallowed., Cannot be made non-poisonous., Effects due to ingestion may include:, Nausea, Headache, Vomiting, Gastrointestinal disturbance, Dizziness, Weakness, Confusion.

Stomach - Irregularities - Based on Human Evidence

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1230 Class: 3 Packing group: II

Proper shipping name: MethanolSOLUTION

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

UN number: 1230 Class: 3 (6.1) Packing group: II EMS-No: F-E, S-D

Proper shipping name: METHANOLSOLUTION

**IATA** 

UN number: 1230 Class: 3 (6.1) Packing group: II

Proper shipping name: MethanolSOLUTION

Cerilliant - P-004 Page 9 of 11

# **SECTION 15: Regulatory information**

## **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

|          | CAS-No. | Revision Date |
|----------|---------|---------------|
| Methanol | 67-56-1 | 2007-07-01    |

## SARA 311/312 Hazards

Fire Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

| <b>3</b> | CAS-No. | Revision Date |
|----------|---------|---------------|
| Methanol | 67-56-1 | 2007-07-01    |

No components are subject to the Massachusetts Right to Know Act.

| Methanol   | CAS-No.<br>67-56-1    | Revision Date<br>2007-07-01 |
|--|-----------------------|-----------------------------|
| Methanol   | CAS-No.<br>67-56-1    | Revision Date<br>2007-07-01 |
| New Jersey Right To Know Components Methanol   | CAS-No.<br>67-56-1    | Revision Date<br>2007-07-01 |
| California Prop. 65 Components WARNING! This product contains a chemical known to the State of California to cause cancer.Phenobarbital- D5 (SC) | CAS-No.<br>73738-05-3 | Revision Date<br>2007-09-28 |
| WARNING: This product contains a chemical known to the State of California to cause birth defects or other                                       | CAS-No.<br>67-56-1    | Revision Date<br>2012-03-16 |

#### **SECTION 16: Other information**

reproductive harm.Methanol

# **Further information**

Copyright 2018 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the

Cerilliant - P-004 Page 10 of 11



present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.2 Revision Date: 07/02/2019 Print Date: 11/20/2020

Cerilliant - P-004 Page 11 of 11

