

# SAFETY DATA SHEET

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifiers Product name Dihydrocodeine hydrochloride solution Product Number : D-019 Brand : Cerilliant : 603-001-00-X Index-No. **1.2** Relevant identified uses of the substance or mixture and uses advised against : Laboratory chemicals, Synthesis of substances Identified uses 1.3 Details of the supplier of the safety data sheet Company Sigma-Aldrich Inc. : 3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES Telephone : +1 314 771-5765

# **1.4 Emergency telephone number**

Fax

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

: +1 800 325-5052

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Respiratory sensitisation (Category 1), H334 Skin sensitisation (Category 1), H317 Specific target organ toxicity - single exposure (Category 1), H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Cerilliant - D-019

Page 1 of 11



Signal word	Danger
Hazard statement(s) H225 H301 + H311 + H331 H317 H334	Highly flammable liquid and vapour. Toxic if swallowed, in contact with skin or if inhaled. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H370	Causes damage to organs.
Precautionary statement(s) P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233 P240 P241 P242	Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting equipment. Use only non-sparking tools.
P243 P260 P264 P270	Take precautionary measures against static discharge. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product.
P271 P272	Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the
P280	workplace. Wear protective gloves/ protective clothing/ eye protection/ face protection.
P285 P301 + P310 P303 + P361 + P353	In case of inadequate ventilation wear respiratory protection. IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P307 + P311 P322	IF exposed: Call a POISON CENTER or doctor/ physician. Specific measures (see supplemental first aid instructions on this label).
P330 P333 + P313 P361 P363 P370 + P378	Rinse mouth. If skin irritation or rash occurs: Get medical advice/ attention. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant
P403 + P233 P403 + P235 P405 P501	foam for extinction. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3:** Composition/information on ingredients

# 3.2 Mixtures

Component	Classification	Concentration
-----------	----------------	---------------

Cerilliant - D-019

Page 2 of 11



200-659-6	Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301,	>= 90 - <= 100 %
603-001-00-X 01-2119433307-44- XXXX	H331, H311, H370	
125-28-0 204-732-3	Acute Tox. 3; Resp. Sens. 1; Skin Sens. 1; H301, H331, H311, H334, H317	>= 0.1 - < 1 %
	200-659-6 503-001-00-X 01-2119433307-44- XXXX	200-659-6 STOT SE 1; H225, H301,   503-001-00-X H331, H311, H370   01-2119433307-44- Acute Tox. 3; Resp. Sens.   125-28-0 Acute Tox. 3; Resp. Sens.   204-732-3 1; Skin Sens. 1; H301,

For the full text of the H-Statements mentioned in this Section, see Section 16.

# SECTION 4: First aid measures

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

**Suitable extinguishing media** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2 Special hazards arising from the substance or mixture** Carbon oxides

#### **5.3 Advice for firefighters** Wear self-contained breathing apparatus for firefighting if necessary.

Cerilliant - D-019

Page 3 of 11



# 5.4 Further information

Use water spray to cool unopened containers.

## **SECTION 6:** Accidental release measures

# **6.1 Personal precautions, protective equipment and emergency procedures** Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

- **6.2 Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13).
- 6.4 Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature -20 °C Storage class (TRGS 510): 3: Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### **Components with workplace control parameters**

Component	CAS-No.	Value	Control	Basis
			parameters	
Methanol	67-56-1	TWA	200 ppm	USA. ACGIH Threshold Limit
				Values (TLV)
	Remarks	Headache		
		Nausea		
		Dizziness		
		Eye damag	e	

Cerilliant - D-019

Page 4 of 11



or Indices	Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Danger of cutaneous absorption		
STEL	250 ppm	USA. ACGIH Threshold Limit Values (TLV)	
or Indices	ige		
TWA	200 ppm 260 mg/m3	USA. NIOSH Recommended Exposure Limits	
Potential 1	for dermal absor		
ST	250 ppm 325 mg/m3	USA. NIOSH Recommended Exposure Limits	
Potential for dermal absorption			
TWA	200 ppm 260 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
The value in mg/m3 is approximate.			
С	1,000 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
Skin			
PEL	200 ppm 260 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
Skin	1	1	
STEL	250 ppm 325 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
Skin	1		

# **Biological occupational exposure limits**

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Methanol	67-56-1	Methanol	15 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As soon as possible after exposure ceases)			

# 8.2 Exposure controls

# Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Cerilliant - D-019

Page 5 of 11



# **Personal protective equipment**

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 30 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

- a) Appearance Form: liquid
- b) Odour No data available
- c) Odour Threshold No data available
- d) pH No data available

Cerilliant - D-019

Page 6 of 11



e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	64 - 65 °C 147 - 149 °F at 1.013 hPa
g)	Flash point	9.7 °C (49.5 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 36 %(V) Lower explosion limit: 6 %(V)
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	0.791 g/cm3 at 20 °C (68 °F)
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

9.2 Other safety information No data available

# SECTION 10: Stability and reactivity

#### **10.1 Reactivity**

No data available

#### **10.2** Chemical stability

Stable under recommended storage conditions.

# **10.3** Possibility of hazardous reactions

Vapours may form explosive mixture with air.

# 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

# **10.5 Incompatible materials**

Acids, Oxidizing agents, Alkali metals, Strong oxidizing agents, Strong acids, Acid chlorides, Acid anhydrides, Reducing agents, Strong reducing agents, Phosphorus halides

## **10.6 Hazardous decomposition products** Other decomposition products - No data available Hazardous decomposition products formed under fire conditions. - Carbon oxides

Cerilliant - D-019

Page 7 of 11



# **SECTION 11: Toxicological information**

#### **11.1** Information on toxicological effects

#### Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

#### Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

# **Respiratory or skin sensitisation** No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

# **Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure** No data available

**Specific target organ toxicity - repeated exposure** No data available

# Aspiration hazard

No data available

#### Additional Information RTECS: Not available

Cerilliant - D-019

Page 8 of 11



To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Methyl alcohol may be fatal or cause blindness if swallowed., Cannot be made nonpoisonous., Effects due to ingestion may include:, Nausea, Headache, Vomiting, Gastrointestinal disturbance, Dizziness, Weakness, Confusion.

Central nervous system - Breathing difficulties - Based on Human Evidence

#### **SECTION 12: Ecological information**

#### **12.1 Toxicity**

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Other adverse effects** No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### **Contaminated packaging**

Dispose of as unused product.

# **SECTION 14: Transport information**

#### DOT (US)

UN number: 1230 Class: 3 Packing group: II Proper shipping name: MethanolSOLUTION

Reportable Quantity (RQ): Poison Inhalation Hazard: No

#### IMDG

UN number: 1230 Class: 3 (6.1)

Packing group: II

EMS-No: F-E, S-D

Cerilliant - D-019

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Page 9 of 11

#### ΙΑΤΑ

UN number: 1230 Class: 3 (6.1) Packing group: II Proper shipping name: MethanolSOLUTION

SARA 302 Components		
No chemicals in this material are subject to the reportin Section 302.	ig requirement	s of SARA Title III
<b>SARA 313 Components</b> The following components are subject to reporting level Section 313:	s established b	by SARA Title III,
Mathanal	CAS-No.	Revision Date
Methanol	67-56-1	2007-07-01
SARA 311/312 Hazards Fire Hazard, Acute Health Hazard, Chronic Health Hazar	ď	
Massachusetts Right To Know Components		
Methanol	CAS-No. 67-56-1	Revision Dat 2007-07-01
No components are subject to the Massachusetts Right Pennsylvania Right To Know Components Methanol	to Know Act. CAS-No. 67-56-1	Revision Dat 2007-07-01
Methanol	CAS-No. 67-56-1	Revision Dat 2007-07-01
New Jersey Right To Know Components Methanol	CAS-No. 67-56-1	Revision Dat 2007-07-01
<b>California Prop. 65 Components</b> WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.Methanol	CAS-No. 67-56-1	Revision Dat 2012-03-16

Cerilliant - D-019

Page 10 of 11



# **SECTION 16: Other information**

#### Further information

Copyright 2018 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.1

Revision Date: 07/02/2019

Print Date: 01/29/2021

Cerilliant - D-019

Page 11 of 11



