

## SAFETY DATA SHEET

Version 6.2  
Revision Date 05/03/2021  
Print Date 03/30/2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : N-Desmethylnaltrexone solution

Product Number : D-052  
Brand : Cerilliant  
Index-No. : 603-001-00-X

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

**1.4 Emergency telephone**

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-  
527-3887 CHEMTREC (International) 24  
Hours/day; 7 Days/week

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Flammable liquids (Category 2), H225  
Acute toxicity, Oral (Category 3), H301  
Acute toxicity, Inhalation (Category 3), H331  
Acute toxicity, Dermal (Category 3), H311  
Specific target organ toxicity - single exposure (Category 1), H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

**2.2 GHS Label elements, including precautionary statements**

Pictogram



Signal word

Danger

|                            |  |  |
|----------------------------|--|--|
| Hazard statement(s)        |  |  |
| H225                       |  | Highly flammable liquid and vapor.   |
| H301 + H311 + H331         |  | Toxic if swallowed, in contact with skin or if inhaled.  |
| H370                       |  | Causes damage to organs.   |
| Precautionary statement(s) |  |  |
| P210                       |  | Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  |
| P233                       |  | Keep container tightly closed.   |
| P240                       |  | Ground/bond container and receiving equipment.   |
| P241                       |  | Use explosion-proof electrical/ ventilating/ lighting/ equipment.  |
| P242                       |  | Use only non-sparking tools.   |
| P243                       |  | Take precautionary measures against static discharge.  |
| P260                       |  | Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.   |
| P264                       |  | Wash skin thoroughly after handling.   |
| P270                       |  | Do not eat, drink or smoke when using this product.  |
| P271                       |  | Use only outdoors or in a well-ventilated area.  |
| P280                       |  | Wear protective gloves/ protective clothing/ eye protection/ face protection.                                |
| P301 + P310                |  | IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  |
| P303 + P361 + P353         |  | IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. |
| P304 + P340                |  | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.             |
| P307 + P311                |  | IF exposed: Call a POISON CENTER or doctor/ physician.   |
| P322                       |  | Specific measures (see supplemental first aid instructions on this label).                                   |
| P330                       |  | Rinse mouth.   |
| P361                       |  | Remove/ Take off immediately all contaminated clothing.  |
| P363                       |  | Wash contaminated clothing before reuse.   |
| P370 + P378                |  | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.                        |
| P403 + P233                |  | Store in a well-ventilated place. Keep container tightly closed.   |
| P403 + P235                |  | Store in a well-ventilated place. Keep cool.   |
| P405                       |  | Store locked up.   |
| P501                       |  | Dispose of contents/ container to an approved waste disposal plant.  |

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

| Component           |                       | Classification   | Concentration    |
|---------------------|-----------------------|--|------------------|
| <b>Methanol</b>     |                       |  |                  |
| CAS-No.             | 67-56-1               | Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301, H331, H311, H370<br>Concentration limits:<br>>= 10 %: STOT SE 1, H370; 3 - < 10 %: STOT SE 2, H371; | >= 90 - <= 100 % |
| EC-No.              | 200-659-6             |  |                  |
| Index-No.           | 603-001-00-X          |  |                  |
| Registration number | 01-2119433307-44-XXXX |  |                  |
|                     |                       |  |                  |

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

## 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

#### Advice on protection against fire and explosion

Use explosion-proof equipment. **Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

#### Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### Storage stability

Recommended storage temperature

-20 °C

Storage class (TRGS 510): 3: Flammable liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

| Component | CAS-No. | Value                          | Control parameters | Basis                                   |
|-----------|---------|--------------------------------|--------------------|---|
| Methanol  | 67-56-1 | TWA                            | 200 ppm            | USA. ACGIH Threshold Limit Values (TLV) |
|           | Remarks | Danger of cutaneous absorption |                    |   |
|           |         | STEL                           | 250 ppm            | USA. ACGIH Threshold Limit Values (TLV) |
|           |         | Danger of cutaneous absorption |                    |   |

|  |  |                                 |                      |   |
|--|--|---------------------------------|----------------------|---|
|  |  | TWA                             | 200 ppm<br>260 mg/m3 | USA. NIOSH Recommended Exposure Limits  |
|  |  | Potential for dermal absorption |                      |   |
|  |  | ST                              | 250 ppm<br>325 mg/m3 | USA. NIOSH Recommended Exposure Limits  |
|  |  | Potential for dermal absorption |                      |   |
|  |  | TWA                             | 200 ppm<br>260 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants        |
|  |  | STEL                            | 250 ppm<br>325 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000                           |
|  |  | Skin notation                   |                      |   |
|  |  | TWA                             | 200 ppm<br>260 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000                           |
|  |  | Skin notation                   |                      |   |
|  |  | C                               | 1,000 ppm            | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
|  |  | Skin                            |                      |   |
|  |  | PEL                             | 200 ppm<br>260 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
|  |  | Skin                            |                      |   |
|  |  | STEL                            | 250 ppm<br>325 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
|  |  | Skin                            |                      |   |

#### Biological occupational exposure limits

| Component | CAS-No. | Parameters   | Value   | Biological specimen | Basis                                     |
|-----------|---------|--|---------|---------------------|---|
| Methanol  | 67-56-1 | Methanol   | 15 mg/l | Urine               | ACGIH - Biological Exposure Indices (BEI) |
|           | Remarks | End of shift (As soon as possible after exposure ceases) |         |                     |   |

## 8.2 Exposure controls

### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm

Break through time: 480 min

Material tested: Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm

Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |  |                                      |
|--|--------------------------------------|
| a) Appearance                              | Form: liquid                         |
| b) Odor                                    | No data available                    |
| c) Odor Threshold                          | No data available                    |
| d) pH                                      | No data available                    |
| e) Melting point/freezing point            | No data available                    |
| f) Initial boiling point and boiling range | 64 - 65 °C 147 - 149 °F at 1.013 hPa |

|   |   |
|---|---|
| g) Flash point                                  | 9.7 °C (49.5 °F) - closed cup                                   |
| h) Evaporation rate                             | No data available   |
| i) Flammability (solid, gas)                    | No data available   |
| j) Upper/lower flammability or explosive limits | Upper explosion limit: 36 %(V)<br>Lower explosion limit: 6 %(V) |
| k) Vapor pressure                               | No data available   |
| l) Vapor density                                | No data available   |
| m) Relative density                             | No data available   |
| n) Water solubility                             | No data available   |
| o) Partition coefficient: n-octanol/water       | No data available   |
| p) Autoignition temperature                     | No data available   |
| q) Decomposition temperature                    | No data available   |
| r) Viscosity                                    | No data available   |
| s) Explosive properties                         | No data available   |
| t) Oxidizing properties                         | No data available   |

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Vapors may form explosive mixture with air.

### 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

### 10.5 Incompatible materials

Acids, Oxidizing agents, Alkali metals, Strong oxidizing agents, Strong acids, Acid chlorides, Acid anhydrides, Reducing agents, Strong reducing agents, Phosphorus halides

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Mixture

##### Acute toxicity

Oral: No data available

Inhalation: No data available

Dermal: No data available

No data available

##### Skin corrosion/irritation

No data available

##### Serious eye damage/eye irritation

No data available

##### Respiratory or skin sensitization

No data available

##### Germ cell mutagenicity

No data available

##### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

##### Reproductive toxicity

No data available

##### Specific target organ toxicity - single exposure

No data available

##### Specific target organ toxicity - repeated exposure

No data available

##### Aspiration hazard

No data available



## 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Methyl alcohol may be fatal or cause blindness if swallowed., Cannot be made non-poisonous., Effects due to ingestion may include:, Nausea, Headache, Vomiting, Gastrointestinal disturbance, Dizziness, Weakness, Confusion.

Central nervous system - Breathing difficulties - Based on Human Evidence

### Components

#### Methanol

##### Acute toxicity

Acute toxicity estimate Oral - 100.1 mg/kg  
(Expert judgment)

Symptoms: Nausea, Vomiting

Acute toxicity estimate Inhalation - 4 h - 3.1 mg/l  
(Expert judgment)

Symptoms: Irritation symptoms in the respiratory tract.

Acute toxicity estimate Dermal - 300.1 mg/kg  
(Expert judgment)

##### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

Remarks: (ECHA)

Drying-out effect resulting in rough and chapped skin.

##### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

Remarks: (ECHA)

##### Respiratory or skin sensitization

Sensitisation test: - Guinea pig

Result: negative

(OECD Test Guideline 406)

##### Germ cell mutagenicity

Based on available data the classification criteria are not met.

Ames test

Salmonella typhimurium

Result: negative

In vitro mammalian cell gene mutation test

Chinese hamster lung cells

Result: negative

OECD Test Guideline 474

Mouse - male and female - Bone marrow

Result: negative

##### Carcinogenicity

Did not show carcinogenic effects in animal experiments.

##### Reproductive toxicity

Based on available data the classification criteria are not met.

##### Specific target organ toxicity - single exposure

Causes damage to organs. - Eyes, Central nervous system

Remarks:

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute oral toxicity - Nausea, Vomiting

Acute inhalation toxicity - Irritation symptoms in the respiratory tract.

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

**Mixture**

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

**Components**

**Methanol**

|   |   |
|---|---|
| Toxicity to fish                                    | flow-through test LC50 - <i>Lepomis macrochirus</i> (Bluegill) - 15,400.0 mg/l - 96 h (US-EPA)                                |
| Toxicity to daphnia and other aquatic invertebrates | semi-static test EC50 - <i>Daphnia magna</i> (Water flea) - 18,260 mg/l - 96 h (OECD Test Guideline 202)                      |
| Toxicity to algae                                   | static test ErC50 - <i>Pseudokirchneriella subcapitata</i> (green algae) - ca. 22,000.0 mg/l - 96 h (OECD Test Guideline 201) |
| Toxicity to bacteria                                | static test IC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)  |

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

**Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable

solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

**Contaminated packaging**

Dispose of as unused product.

---

**SECTION 14: Transport information**

**DOT (US)**

UN number: 1230    Class: 3    Packing group: II  
Proper shipping name: MethanolSOLUTION

Reportable Quantity (RQ):  
Poison Inhalation Hazard: No

**IMDG**

UN number: 1230    Class: 3 (6.1)    Packing group: II    EMS-No: F-E, S-D  
Proper shipping name: METHANOLSOLUTION

**IATA**

UN number: 1230    Class: 3 (6.1)    Packing group: II  
Proper shipping name: MethanolSOLUTION

---

**SECTION 15: Regulatory information**

**SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

|          | CAS-No. | Revision Date |
|----------|---------|---------------|
| Methanol | 67-56-1 | 2007-07-01    |

**SARA 311/312 Hazards**

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components**

|          | CAS-No. | Revision Date |
|----------|---------|---------------|
| Methanol | 67-56-1 | 2007-07-01    |

No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right To Know Components**

|          | CAS-No. | Revision Date |
|----------|---------|---------------|
| Methanol | 67-56-1 | 2007-07-01    |

|          |                    |                             |
|----------|--------------------|-----------------------------|
| Methanol | CAS-No.<br>67-56-1 | Revision Date<br>2007-07-01 |
|----------|--------------------|-----------------------------|

**New Jersey Right To Know Components**

|          |                    |                             |
|----------|--------------------|-----------------------------|
| Methanol | CAS-No.<br>67-56-1 | Revision Date<br>2007-07-01 |
|----------|--------------------|-----------------------------|

**California Prop. 65 Components**

|   |                    |                             |
|---|--------------------|-----------------------------|
| WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.Methanol | CAS-No.<br>67-56-1 | Revision Date<br>2012-03-16 |
|---|--------------------|-----------------------------|

---

**SECTION 16: Other information****Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.2

Revision Date: 05/03/2021

Print Date: 03/30/2022