

# SAFETY DATA SHEET

Version 5.0 Revision Date 08/06/2018 Print Date 08/06/2018

a SIGMA-ALDRICH company

# **1. PRODUCT AND COMPANY IDENTIFICATION**

| 1.1 | Product identifiers<br>Product name | : | Acryl fentanyl-D5 HCl |
|-----|-------------------------------------|---|-----------------------|
|     | Product Number<br>Brand             | - | A-156<br>Cerilliant   |

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

| Company          | : | Sigma-Aldrich<br>3050 Spruce Street<br>SAINT LOUIS MO 63103<br>USA |
|------------------|---|--|
| Telephone<br>Fax |   | +1 800-325-5832<br>+1 800-325-5052                                 |
| - ux             | • |  |

#### 1.4 **Emergency telephone number**

# 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Specific target organ toxicity - single exposure (Category 1), Eyes, H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

| Hazard statement(s)<br>H225<br>H301 + H311 + H331<br>H370          | Highly flammable liquid and vapour.<br>Toxic if swallowed, in contact with skin or if inhaled.<br>Causes damage to organs (Eyes).   |
|--|---|
| Precautionary statement(s)<br>P210<br>P233<br>P240<br>P241<br>P242 | Keep away from heat/sparks/open flames/hot surfaces. No smoking.<br>Keep container tightly closed.<br>Ground/bond container and receiving equipment.<br>Use explosion-proof electrical/ ventilating/ lighting/ equipment.<br>Use only non-sparking tools. |

| P243<br>P260<br>P264<br>P270<br>P271<br>P280 | Take precautionary measures against static discharge.<br>Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.<br>Wash skin thoroughly after handling.<br>Do not eat, drink or smoke when using this product.<br>Use only outdoors or in a well-ventilated area.<br>Wear protective gloves/ eye protection/ face protection. |
|--|--|
| P301 + P310 + P330                           | IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.  |
| P303 + P361 + P353                           | IF ON SKIN (or hair): Take off immediately all contaminated clothing.<br>Rinse skin with water/shower.   |
| P304 + P340 + P311                           | IF INHALED: Remove person to fresh air and keep comfortable for<br>breathing. Call a POISON CENTER/doctor.   |
| P307 + P311                                  | IF exposed: Call a POISON CENTER or doctor/ physician.   |
| P362   | Take off contaminated clothing and wash before reuse.  |
| P370 + P378                                  | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.   |
| P403 + P233                                  | Store in a well-ventilated place. Keep container tightly closed.   |
| P403 + P235                                  | Store in a well-ventilated place. Keep cool.   |
| P405   | Store locked up.   |
| P501   | Dispose of contents/ container to an approved waste disposal plant.  |

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

Molecular weight : 32.04 g/mol

## Hazardous components

| Component           |                       | Classification              | Concentration |
|---------------------|-----------------------|-----------------------------|---------------|
| Methanol            |                       |                             |               |
| CAS-No.             | 67-56-1               | Flam. Liq. 2; Acute Tox. 3; | 90 - 100 %    |
| EC-No.              | 200-659-6             | STOT SE 1; H225, H301 +     |               |
| Index-No.           | 603-001-00-X          | H311 + H331, H370           |               |
| Registration number | 01-2119433307-44-XXXX |                             |               |

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

# **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

Suitable extinguishing media Dry powder Dry sand

#### Unsuitable extinguishing media Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture No data available

# **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

# 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

# 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature -20 °C Storage class (TRGS 510): 3: Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

### Components with workplace control parameters

| Component | CAS-No. | Value                     | Control parameters   | Basis                                    |
|-----------|---------|---------------------------|----------------------|--|
| Methanol  | 67-56-1 | TWA                       | 200 ppm              | USA. ACGIH Threshold Limit Values        |
|           |         |                           | 200 ppm              | (TLV)                                    |
|           | Remarks | Headache                  |                      |  |
|           |         | Nausea                    |                      |  |
|           |         | Dizziness                 |                      |  |
|           |         | Eye damag                 |                      |  |
|           |         | Substances<br>(see BEI® s |                      | s a Biological Exposure Index or Indices |
|           |         |                           | utaneous absorpt     | tion                                     |
|           |         | STEL                      | 250 ppm              | USA. ACGIH Threshold Limit Values        |
|           |         | OTEL                      | 200 ppm              | (TLV)                                    |
|           |         | Headache                  |                      |  |
|           |         | Nausea                    |                      |  |
|           |         | Dizziness                 |                      |  |
|           |         | Eye damag                 |                      |  |
|           |         |                           |                      | s a Biological Exposure Index or Indices |
|           |         | (see BEI® s               |                      |  |
|           |         |                           | utaneous absorpt     |  |
|           |         | TWA                       | 200 ppm              | USA. NIOSH Recommended                   |
|           |         | Datastick                 | 260 mg/m3            | Exposure Limits                          |
|           |         |                           | r dermal absorptio   |  |
|           |         | ST                        | 250 ppm<br>325 mg/m3 | USA. NIOSH Recommended                   |
|           |         | Potential for             | r dermal absorption  | Exposure Limits                          |
|           |         | TWA                       | 200 ppm              | USA. Occupational Exposure Limits        |
|           |         |                           | 260 mg/m3            | (OSHA) - Table Z-1 Limits for Air        |
|           |         |                           | 200 mg/mo            | Contaminants                             |
|           |         |                           | n mg/m3 is appro     | ximate.                                  |
|           |         | С                         | 1,000 ppm            | California permissible exposure          |
|           |         |                           |                      | limits for chemical contaminants         |
|           |         |                           |                      | (Title 8, Article 107)                   |
|           |         | Skin                      | 1                    |  |
|           |         | PEL                       | 200 ppm              | California permissible exposure          |
|           |         |                           | 260 mg/m3            | limits for chemical contaminants         |
|           |         |                           |                      | (Title 8, Article 107)                   |
|           |         | Skin                      |                      |  |
|           |         | STEL                      | 250 ppm              | California permissible exposure          |
|           |         |                           | 325 mg/m3            | limits for chemical contaminants         |
|           |         |                           |                      | (Title 8, Article 107)                   |
|           |         | Skin                      |                      |  |

### **Biological occupational exposure limits**

| Component | CAS-No. | Parameters       | Value        | Biological specimen   | Basis   |
|-----------|---------|------------------|--------------|-----------------------|---|
|           | -       | Methanol         | 15 mg/l      | Urine                 | ACGIH - Biological<br>Exposure Indices<br>(BEI) |
|           | Remarks | End of shift (As | s soon as po | ssible after exposure | e ceases)                                       |

# 8.2 Exposure controls

## Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

# **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| a) | Appearance   | Form: liquid<br>Colour: colourless   |
|----|--|--|
| b) | Odour  | characteristic   |
| c) | Odour Threshold                                    | No data available  |
| d) | рН   | No data available  |
| e) | Melting point/freezing point                       | Melting point: -98.0 °C (-144.4 °F)  |
| f) | Initial boiling point and boiling range            | 64.0 - 65.0 °C (147.2 - 149.0 °F) at 1,013 hPa (760 mmHg)                  |
| g) | Flash point  | 9.7 °C (49.5 °F) - closed cup - DIN 51755 Part 1                           |
| h) | Evaporation rate                                   | 6.3 - Diethylether1.9 - n-butyl acetate                                    |
| i) | Flammability (solid, gas)                          | No data available  |
| j) | Upper/lower<br>flammability or<br>explosive limits | Upper explosion limit: 36.5 %(V)<br>Lower explosion limit: 5.5 %(V)        |
| k) | Vapour pressure                                    | 128 hPa (96 mmHg) at 20.0 °C (68.0 °F)                                     |
| I) | Vapour density                                     | 1.11   |
| m) | Relative density                                   | 0.79 g/cm3 at 20 °C (68 °F)  |
| n) | Water solubility                                   | soluble  |
| o) | Partition coefficient: n-<br>octanol/water         | log Pow: -0.77 at 25 °C (77 °F) - (Lit.), Bioaccumulation is not expected. |
| p) | Auto-ignition<br>temperature                       | 455.0 °C (851.0 °F) at 1,013 hPa (760 mmHg) - DIN 51794                    |
| q) | Decomposition<br>temperature                       | Distillable in an undecomposed state at normal pressure.                   |
| r) | Viscosity  | 0.54 - 0.59 mm2/s at 20 °C (68 °F) -                                       |
| s) | Explosive properties                               | No data available  |
| t) | Oxidizing properties                               | No data available  |
|    |  |  |

#### 9.2 Other safety information

Minimum ignition energy0.14 mJConductivity< 1 µS/cm</td>Relative vapour density1.11

# **10. STABILITY AND REACTIVITY**

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

Risk of explosion with:Oxidizing agents, Halogens, sodium hypochlorite, sulphuric acid, nitrogen oxides, chlorates, chromium(VI) oxide, chromosulfuric acid, halogen oxides, hydrides, salts of oxyhalogenic acids, perchlorates, perchloric acid, permanganic acid, hydrogen peroxide, zinc diethyl, nonmetallic oxides, powdered magnesium, Nitric acidExothermic reaction with:Risk of ignition or formation of inflammable gases or vapours with:Fluorine, Oxides of phosphorus, Raney-nickelGenerates dangerous gases or fumes in contact with:Alkali metals, Alkaline earth metalsVapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Warming.

Heat, flames and sparks.

# 10.5 Incompatible materials

Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

### **11. TOXICOLOGICAL INFORMATION**

### 11.1 Information on toxicological effects

Acute toxicity No data available

# Skin corrosion/irritation

No data available

Serious eye damage/eye irritation No data available

#### **Respiratory or skin sensitisation** No data available

Germ cell mutagenicity No data available

### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available No data available Cerilliant - A-156

# Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

### **Additional Information**

RTECS: Not available

Methyl alcohol may be fatal or cause blindness if swallowed. Effects due to ingestion may include:, Headache, Dizziness, Drowsiness, metabolic acidosis, Coma, Seizures. Symptoms may be delayed., Damage of the:, Liver, Kidney

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

# **12. ECOLOGICAL INFORMATION**

# 12.1 Toxicity

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil No data available
- **12.5 Results of PBT and vPvB assessment** PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- 12.6 Other adverse effects No data available

# **13. DISPOSAL CONSIDERATIONS**

### 13.1 Waste treatment methods

### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licensed professional waste disposal service to dispose of this material.

Packing group: II

Packing group: II

# Contaminated packaging

Dispose of as unused product.

## **14. TRANSPORT INFORMATION**

### DOT (US)

UN number: 1230 Class: 3 Proper shipping name: Methanol, solution Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

| UN number: 1230       | Class: 3 (6.1)     | Packing group: II | EMS-No: F-E, S-D |
|-----------------------|--------------------|-------------------|------------------|
| Proper shipping name: | METHANOL, SOLUTION | l                 |                  |

# ΙΑΤΑ

UN number: 1230 Class: 3 (6.1) Proper shipping name: Methanol, solution

# **15. REGULATORY INFORMATION**

# SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

| The following components are subject to reporting levels establishe                                | d by SARA Title III, S | Section 313:  |  |  |
|--|------------------------|---------------|--|--|
|  | CAS-No.                | Revision Date |  |  |
| Methanol   | 67-56-1                | 2007-07-01    |  |  |
| SARA 311/312 Hazards<br>Fire Hazard, Chronic Health Hazard   |                        |               |  |  |
| Massachusetts Right To Know Components   |                        |               |  |  |
|  | CAS-No.                | Revision Date |  |  |
| Methanol   | 67-56-1                | 2007-07-01    |  |  |
| Pennsylvania Right To Know Components  |                        |               |  |  |
|  | CAS-No.                | Revision Date |  |  |
| Methanol   | 67-56-1                | 2007-07-01    |  |  |
| California Prop. 65 Components   |                        |               |  |  |
| , which is/are known to the State of California to cause birth                                     | CAS-No.                | Revision Date |  |  |
| defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.<br>Methanol | 67-56-1                | 2012-03-16    |  |  |
|  |                        |               |  |  |

#### **16. OTHER INFORMATION**

Full text of H-Statements referred to under sections 2 and 3.

| Acute Tox.    | Acute toxicity  |
|---------------|---|
| Flam. Liq.    | Flammable liquids                                       |
| H225          | Highly flammable liquid and vapour.                     |
| H301          | Toxic if swallowed.                                     |
| H301 + H311 + | Toxic if swallowed, in contact with skin or if inhaled. |
| H331          |   |
| H311          | Toxic in contact with skin.                             |
| H331          | Toxic if inhaled.                                       |
| H370          | Causes damage to organs.                                |
| STOT SE       | Specific target organ toxicity - single exposure        |

#### Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.0

Revision Date: 08/06/2018

Print Date: 08/06/2018