

# SAFETY DATA SHEET

Version 6.6 Revision Date 02/07/2023 Print Date 04/01/2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Methotrexate solution

Product Number : M-136 Brand : Cerilliant

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Corrosive to Metals (Category 1), H290

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 3), H311

Reproductive toxicity (Category 1B), H360

Specific target organ toxicity - single exposure (Category 1), Eyes, Central nervous system,

H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram





Signal Word	Danger
Hazard statement(s) H225 H290 H301 + H311 + H331 H360 H370	Highly flammable liquid and vapor. May be corrosive to metals. Toxic if swallowed, in contact with skin or if inhaled. May damage fertility or the unborn child. Causes damage to organs (Eyes, Central nervous system).
Precautionary statement(s) P201 P202	Obtain special instructions before use.  Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233 P234 P240	Keep container tightly closed. Keep only in original container. Ground/bond container and receiving equipment.
P241 P242	Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools.
P243 P260	Take precautionary measures against static discharge. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P264 P270	Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product.
P271 P280	Use only outdoors or in a well-ventilated area.  Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
P307 + P311 P362	IF exposed: Call a POISON CENTER or doctor/ physician. Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P390 P403 + P233	Absorb spillage to prevent material damage. Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 P405	Store in a well-ventilated place. Keep cool. Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/ container to an approved waste disposal

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

plant.

# SECTION 3: Composition/information on ingredients

# 3.2 Mixtures

Component	Classification	Concentration



Methanol			
CAS-No. EC-No. Index-No. Registration number	67-56-1 200-659-6 603-001-00-X 01-2119433307-44- XXXX	Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301, H331, H311, H370 Concentration limits: >= 10 %: STOT SE 1, H370; 3 - < 10 %: STOT SE 2, H371;	>= 90 - <= 100 %
methotrexate			
CAS-No. EC-No.	59-05-2 200-413-8	Acute Tox. 3; Skin Irrit. 2; Eye Irrit. 2A; Muta. 2; Repr. 1B; H301, H315, H319, H341, H360	>= 0.1 - < 1 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eve contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: fresh air. Make victim drink ethanol (e.g. 1 drinking glass of a 40% alcoholic beverage). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour).

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available



#### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

# Suitable extinguishing media

Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### **6.4** Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Cerilliant - M-136

Millipore

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

#### **Storage conditions**

No metal containers.

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

## Storage stability

Recommended storage temperature -20 °C

## Storage class

Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

**Ingredients with workplace control parameters** 

Component	CAS-No.	Value	Control	Basis	
			parameters		
Methanol	67-56-1	TWA	200 ppm	USA. ACGIH Threshold Limit	
				Values (TLV)	
	Remarks	Danger of	cutaneous absor	ption	
		STEL	250 ppm	USA. ACGIH Threshold Limit	
				Values (TLV)	
		Danger of	cutaneous absor	ption	
		ST	250 ppm	USA. NIOSH Recommended	
			325 mg/m3	Exposure Limits	
		Potential for	or dermal absorp	otion	
		TWA	200 ppm	USA. NIOSH Recommended	
			260 mg/m3	Exposure Limits	
		Potential for dermal absorption			
		TWA	200 ppm	USA. Occupational Exposure	
			260 mg/m3	Limits (OSHA) - Table Z-1	
				Limits for Air Contaminants	
		PEL	200 ppm	California permissible exposure	
			260 mg/m3	limits for chemical	
				contaminants (Title 8, Article	
				107)	
		Skin			
		С	1,000 ppm	California permissible exposure	
				limits for chemical	
				contaminants (Title 8, Article	
				107)	
		Skin			



STEL	250 ppm 325 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		
TWA	200 ppm 260 mg/m3	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
Skin notati	on	
STEL	250 ppm 325 mg/m3	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
Skin notati	on	

**Biological occupational exposure limits** 

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Methanol	67-56-1	Methanol	15 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (	As soon as	possible after exp	oosure ceases)

# 8.2 Exposure controls

## **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## Personal protective equipment

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our



customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Flame retardant antistatic protective clothing.

## **Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

# **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid	
----------------------------	--

b)	Odor	No data available
-1	Odan Thusahald	Nia alaka avadialah

h)	Evaporation rate	No data available
i)	Flammability (solid,	No data available

j)	Upper/lower	Upper explosion limit: 36 %(V)
	flammability or	Lower explosion limit: 6 %(V)
	explosive limits	

k)	Vapor pressure	No data available
1)	Vapor density	No data available

m) Densit	ty $0.791 \text{ g/cm3 at } 20 ^{\circ}\text{C}$ (	68	°F)

	Relative density	No data available
n)	Water solubility	No data available
0)	Partition coefficient: n-octanol/water	No data available

p)	Autoignition	No data available
	temperature	

	•	
q)	Decomposition	No data available
	temperature	

r) Viscosity No data available



s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

# 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Vapors may form explosive mixture with air.

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Warming.

#### 10.5 Incompatible materials

Acids, Oxidizing agents, Alkali metals, Strong oxidizing agents, Strong acids, Acid chlorides, Acid anhydrides, Reducing agents, Strong reducing agents, Phosphorus halidesMetals

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Mixture**

#### **Acute toxicity**

Oral: No data available

Inhalation: No data available
Dermal: No data available
Skin corrosion/irritation
No data available

# Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

# Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

Cerilliant - M-136



Page 8 of 13

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## **Reproductive toxicity**

May harm the unborn child.

May impair fertility.

# Specific target organ toxicity - single exposure

Mixture causes damage to organs. - Eyes, Central nervous system

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Methyl alcohol may be fatal or cause blindness if swallowed., Cannot be made non-poisonous., Effects due to ingestion may include:, Nausea, Headache, Vomiting, Gastrointestinal disturbance, Dizziness, Weakness, Confusion.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

# **Components**

#### Methanol

#### **Acute toxicity**

Acute toxicity estimate Oral - 100.1 mg/kg

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

Symptoms: Nausea, Vomiting

Acute toxicity estimate Inhalation - 4 h - 3.1 mg/l - vapor

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3 1/3 2)

Symptoms: Irritation symptoms in the respiratory tract.

Acute toxicity estimate Dermal - 300.1 mg/kg

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

# Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

Remarks: (ECHA)

Remarks: Drying-out effect resulting in rough and chapped skin.



# Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

Remarks: (ECHA)

#### Respiratory or skin sensitization

Sensitisation test: - Guinea pig

Result: negative

(OECD Test Guideline 406)

## **Germ cell mutagenicity**

Based on available data the classification criteria are not met.

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female - Bone marrow

Result: negative **Carcinogenicity** 

Did not show carcinogenic effects in animal experiments.

## Reproductive toxicity

Based on available data the classification criteria are not met.

# Specific target organ toxicity - single exposure

Causes damage to organs. - Eyes, Central nervous system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

Acute oral toxicity - Nausea, Vomiting

Acute inhalation toxicity - Irritation symptoms in the respiratory tract.

# Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### methotrexate

#### **Acute toxicity**

LD50 Oral - Rat - 135 mg/kg

Remarks: (RTECS)

Inhalation: No data available Dermal: No data available

No data available

# Skin corrosion/irritation

Remarks: Causes skin irritation.

#### Serious eye damage/eye irritation

Remarks: Causes serious eye irritation.

# Respiratory or skin sensitization

No data available



# Germ cell mutagenicity

Suspected of causing genetic defects.

## Carcinogenicity

No data available

#### Reproductive toxicity

May damage the unborn child.

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

# **SECTION 12: Ecological information**

## 12.1 Toxicity

#### Mixture

No data available

## 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Endocrine disrupting properties

No data available

## 12.7 Other adverse effects

No data available

#### **Components**

#### **Methanol**

Toxicity to fish flow-through test LC50 - Lepomis macrochirus (Blueqill) -

15,400.0 mg/l - 96 h

(US-EPA)

Toxicity to daphnia

semi-static test EC50 - Daphnia magna (Water flea) - 18,260 mg/l - 96 h

and other aquatic invertebrates

(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green

algae) - ca. 22,000.0 mg/l - 96 h

(OECD Test Guideline 201)

Toxicity to bacteria static test IC50 - activated sludge - > 1,000 mg/l - 3 h

(OECD Test Guideline 209)

Toxicity to NOEC - Oryzias latipes (Orange-red killifish) - 7,900 mg/l - 200

fish(Chronic toxicity) h

Remarks: (External MSDS)

#### methotrexate

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

## **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1230 Class: 3 Packing group: II

Proper shipping name: MethanolSOLUTION

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1230 Class: 3 (6.1) Packing group: II EMS-No: F-E, S-D

Proper shipping name: METHANOLSOLUTION

IATA

UN number: 1230 Class: 3 (6.1) Packing group: II

Proper shipping name: MethanolSOLUTION

# **SECTION 15: Regulatory information**

#### **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date Methanol 67-56-1 2007-07-01

#### SARA 311/312 Hazards

Fire Hazard, Chronic Health Hazard

Cerilliant - M-136

Page 12 of 13



Massachusetts Right To Know Components				
Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01		
Pennsylvania Right To Know Components Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01		
California Prop. 65 Components , which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.Methanol	CAS-No. 67-56-1	Revision Date 2012-03-16		

## **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.6 Revision Date: 02/07/2023 Print Date: 04/01/2023

