

SAFETY DATA SHEET

Version 5.6 Revision Date 09/23/2016 Print Date 12/12/2018

a SIGMA-ALDRICH[®] company

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Tioddot fiaine	•	(±)-Methamphetamine-D ₁₁ solution
Product Number Brand	•	M-059 Cerilliant
Index-No.	:	603-001-00-X
	Product Number Brand	Product Number : Brand :

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	:	+1 800-325-5832 +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Specific target organ toxicity - single exposure (Category 1), H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s) H225 H301 + H311 + H331 H370	Highly flammable liquid and vapour. Toxic if swallowed, in contact with skin or if inhaled Causes damage to organs.
Precautionary statement(s) P210 P233 P240 P241 P242	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools.

P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310	F SWALLOWED: Immediately call a POISON CENTER/doctor.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P307 + P311	IF exposed: Call a POISON CENTER or doctor/ physician.
P322	Specific measures (see supplemental first aid instructions on this label).
P330	Rinse mouth.
P361	Remove/Take off immediately all contaminated clothing.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Component		Classification	Concentration
Methanol			
CAS-No.	67-56-1	Flam. Liq. 2; Acute Tox. 3;	>= 90 - <= 100
EC-No.	200-659-6	STOT SE 1; H225, H301 +	%
Index-No.	603-001-00-X	H311 + H331, H370	
Registration number	01-2119433307-44-XXXX	·	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store under inert gas. hygroscopic

Recommended storage temperature -20 °C

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Methanol	67-56-1	TWA	200.000000	USA. ACGIH Threshold Limit Values
			ppm	(TLV)
	Remarks	Headache		
		Nausea		
		Dizziness		
		Eye damage		

Substance	s for which there is	s a Biological Exposure Index or Indices
(see BEI®		- · ·
	cutaneous absorpt	
STEL	250.000000	USA. ACGIH Threshold Limit Values
	ppm	(TLV)
Headache		
Nausea		
Dizziness		
Eye damag		Dielegiaal Evrequite Index of Indiana
(see BEI®		s a Biological Exposure Index or Indices
	cutaneous absorpt	tion
TWA	200.000000	USA. NIOSH Recommended
	ppm	Exposure Limits
	260.000000	
	mg/m3	
	or dermal absorption	
ST	250.000000	USA. NIOSH Recommended
	ppm	Exposure Limits
	325.000000 mg/m2	
Potential f	mg/m3 or dermal absorption	
TWA	200.000000	USA. Occupational Exposure Limits
IWA	ppm	(OSHA) - Table Z-1 Limits for Air
	260.000000	Contaminants
	mg/m3	
The value	in mg/m3 is approx	ximate.
TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
Headache		
Nausea		
Dizziness		
Eye damag		- Dielegiaal Evroquite Index of Indiana
(see BEI®		s a Biological Exposure Index or Indices
	,	
`	cutaneous absorb	tion
 Danger of	cutaneous absorpt	
Danger of STEL	250 ppm	
Danger of STEL Headache	250 ppm	USA. ACGIH Threshold Limit Values
Danger of STEL Headache Nausea	250 ppm	USA. ACGIH Threshold Limit Values
Danger of STEL Headache Nausea Dizziness	250 ppm	USA. ACGIH Threshold Limit Values
Danger of STEL Headache Nausea Dizziness Eye damag	250 ppm	USA. ACGIH Threshold Limit Values (TLV)
Danger of STEL Headache Nausea Dizziness Eye damag Substance	250 ppm ge s for which there is	USA. ACGIH Threshold Limit Values
Danger of STEL Headache Nausea Dizziness Eye damag Substance (see BEI®	250 ppm ge s for which there is	USA. ACGIH Threshold Limit Values (TLV)
Danger of STEL Headache Nausea Dizziness Eye damag Substance (see BEI®	ge es for which there is section) cutaneous absorpt 200 ppm	USA. ACGIH Threshold Limit Values (TLV) s a Biological Exposure Index or Indices tion USA. NIOSH Recommended
Danger of STEL Headache Nausea Dizziness Eye damag Substance (see BEI® Danger of TWA	250 ppm es for which there is section) cutaneous absorpt 200 ppm 260 mg/m3	USA. ACGIH Threshold Limit Values (TLV) s a Biological Exposure Index or Indices tion USA. NIOSH Recommended Exposure Limits
Danger of STEL Headache Nausea Dizziness Eye damag Substance (see BEI® Danger of TWA Potential fo	250 ppm ge s for which there is section) cutaneous absorpt 200 ppm 260 mg/m3 or dermal absorptio	USA. ACGIH Threshold Limit Values (TLV) s a Biological Exposure Index or Indices tion USA. NIOSH Recommended Exposure Limits
Danger of STEL Headache Nausea Dizziness Eye damag Substance (see BEI® Danger of TWA	250 ppm ge ts for which there is section) cutaneous absorpt 200 ppm 260 mg/m3 or dermal absorption 250 ppm	USA. ACGIH Threshold Limit Values (TLV) s a Biological Exposure Index or Indices tion USA. NIOSH Recommended Exposure Limits on USA. NIOSH Recommended
Danger of STEL Headache Nausea Dizziness Eye damag Substance (see BEI® Danger of TWA Potential fo ST	250 ppm ge s for which there is section) cutaneous absorpt 200 ppm 260 mg/m3 or dermal absorptio 250 ppm 325 mg/m3	USA. ACGIH Threshold Limit Values (TLV) s a Biological Exposure Index or Indices tion USA. NIOSH Recommended Exposure Limits on USA. NIOSH Recommended Exposure Limits
Danger of STEL Headache Nausea Dizziness Eye damag Substance (see BEI® Danger of TWA Potential fo ST	250 ppm ge is for which there is section) cutaneous absorpt 200 ppm 260 mg/m3 or dermal absorption 325 mg/m3 or dermal absorption	USA. ACGIH Threshold Limit Values (TLV) s a Biological Exposure Index or Indices tion USA. NIOSH Recommended Exposure Limits on USA. NIOSH Recommended Exposure Limits on
Danger of STEL Headache Nausea Dizziness Eye damag Substance (see BEI® Danger of TWA Potential fo ST Potential fo	250 ppm ge s for which there is section) cutaneous absorpt 200 ppm 260 mg/m3 or dermal absorptio 250 ppm 325 mg/m3	USA. ACGIH Threshold Limit Values (TLV) s a Biological Exposure Index or Indices tion USA. NIOSH Recommended Exposure Limits on USA. NIOSH Recommended Exposure Limits
Danger of STEL Headache Nausea Dizziness Eye damag Substance (see BEI® Danger of TWA Potential fo ST Potential fo TWA	250 ppm 250 ppm s for which there is section) cutaneous absorpt 200 ppm 260 mg/m3 or dermal absorption 325 mg/m3 or dermal absorption 200 ppm	USA. ACGIH Threshold Limit Values (TLV) s a Biological Exposure Index or Indices tion USA. NIOSH Recommended Exposure Limits on USA. NIOSH Recommended Exposure Limits on USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
Danger of STEL Headache Nausea Dizziness Eye damag Substance (see BEI® Danger of TWA Potential fo ST Potential fo TWA	250 ppm 250 ppm s for which there is section) cutaneous absorpt 200 ppm 260 mg/m3 or dermal absorption 250 ppm 325 mg/m3 or dermal absorption 200 ppm 260 mg/m3	USA. ACGIH Threshold Limit Values (TLV) s a Biological Exposure Index or Indices tion USA. NIOSH Recommended Exposure Limits on USA. NIOSH Recommended Exposure Limits on USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
Danger of STEL Headache Nausea Dizziness Eye damag Substance (see BEI® Danger of TWA Potential fo ST Potential fo TWA	250 ppm ge s for which there is section) 200 ppm 260 mg/m3 or dermal absorptio 250 ppm 325 mg/m3 or dermal absorptio 200 ppm 260 mg/m3 in mg/m3 is approx 250 ppm 325 mg/m3	USA. ACGIH Threshold Limit Values (TLV) s a Biological Exposure Index or Indices tion USA. NIOSH Recommended Exposure Limits on USA. NIOSH Recommended Exposure Limits on USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants ximate.

TWA	200 ppm 260 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
Skin nota	ition	
C	1,000 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		
PEL	200 ppm 260 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		
STEL	250 ppm 325 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Methanol	67-56-1	Methanol	15.0000 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As	s soon as po	ssible after exposure	e ceases)
		Methanol	15 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
		End of shift (As	s soon as po	ssible after exposure	e ceases)

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 30 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	64 - 65 °C (147 - 149 °F) at 1.013 hPa (0.760 mmHg)
g)	Flash point	9.7 °C (49.5 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 36 %(V) Lower explosion limit: 6 %(V)
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	0.791 g/cm3 at 20 °C (68 °F)
n)	Water solubility	No data available
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
	ner safety information data available	

10. STABILITY AND REACTIVITY

10.1 Reactivity

9.2

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Acids, Oxidizing agents, Alkali metals, Strong oxidizing agents, Strong acids, Acid chlorides, Acid anhydrides, Reducing agents, Strong reducing agents, Phosphorus halides

10.6 Hazardous decomposition products

Other decomposition products - No data available Hazardous decomposition products formed under fire conditions. - Carbon oxides In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitisation No data available

Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Methyl alcohol may be fatal or cause blindness if swallowed., Cannot be made non-poisonous., Effects due to ingestion may include:, Nausea, Headache, Vomiting, Gastrointestinal disturbance, Dizziness, Weakness, Confusion.

Central nervous system - Breathing difficulties - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- **12.5 Results of PBT and vPvB assessment** PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Other adverse effects** No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1230 Class: 3 Proper shipping name: Methanol, solution Reportable Quantity (RQ): Packing group: II

Poison Inhalation Hazard: No

IMDG

UN number: 1230 Class: 3 (6.1) Packing group: II EMS-No: F-E, S-D Proper shipping name: METHANOL, SOLUTION

ΙΑΤΑ

UN number: 1230 Class: 3 (6.1) Packing group: II Proper shipping name: Methanol, solution

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01
SARA 311/312 Hazards Fire Hazard, Acute Health Hazard, Chronic Health Hazard		
Massachusetts Right To Know Components		
Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01
Pennsylvania Right To Know Components		
Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01
New Jersey Right To Know Components		
Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01
California Prop. 65 Components		
WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. Methanol	CAS-No. 67-56-1	Revision Date 2012-03-16

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute toxicity
Flammable liquids
Highly flammable liquid and vapour.
Toxic if swallowed.
Toxic if swallowed, in contact with skin or if inhaled
Toxic in contact with skin.
Toxic if inhaled.
Causes damage to organs.
Specific target organ toxicity - single exposure

HMIS Rating

Health hazard:	2
Chronic Health Hazard:	*
Flammability:	3
Physical Hazard	0
NFPA Rating	
NFPA Rating Health hazard:	2
-	2 3

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.6

Revision Date: 09/23/2016

Print Date: 12/12/2018